

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2010

Nature	Nature code ²	Local government ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		188,420	-	20	1,140	5,820	29,180	48,340	58,250	35,230	5,540	4,900
Traumatic injuries and disorders	0	175,790	-	-	1,030	5,550	27,870	45,030	54,140	33,620	5,300	3,240
Traumatic injuries and disorders, unspecified	00	9,240	-	-	30	220	1,270	2,060	2,260	2,550	380	480
Traumatic injuries to bones, nerves, spinal cord	01	14,590	-	-	90	260	2,370	2,510	4,020	4,130	1,040	170
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	30	-	-	-	-	-	-	-	-	-	-
Dislocations	011	1,010	-	-	-	30	280	180	340	160	-	-
Fractures	012	13,050	-	-	80	230	2,030	2,230	3,410	3,920	980	170
Traumatic injuries to nerves, except the spinal cord	014	30	-	-	-	-	-	-	-	-	-	-
Multiple traumatic injuries to bones nerves, spinal cord	018	470	-	-	-	-	40	80	250	50	50	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	76,460	-	-	440	2,670	12,190	22,020	24,000	12,270	1,290	1,590
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	480	-	-	-	-	70	120	60	190	-	20
Sprains, strains, tears	021	75,780	-	-	440	2,670	12,090	21,880	23,820	12,060	1,270	1,560
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	210	-	-	-	-	30	20	120	20	-	-
Open wounds	03	12,540	-	-	180	480	1,910	2,170	4,810	2,780	150	60
Open wounds, unspecified	030	60	-	-	-	-	20	-	-	-	-	-
Amputations	031	170	-	-	-	-	40	30	20	50	-	-
Amputations, fingertip	0311	120	-	-	-	-	40	-	20	30	-	-
Amputations, except fingertip	0319	50	-	-	-	-	-	20	-	20	-	-
Animal or insect bites	032	650	-	-	-	40	170	310	90	30	-	-
Avulsions	033	580	-	-	-	-	80	-	-	460	-	-
Cuts, lacerations	034	9,700	-	-	150	330	1,180	1,570	4,170	2,140	120	40
Gunshot wounds	036	60	-	-	-	-	20	30	-	-	-	-
Punctures, except bites	037	1,290	-	-	-	90	390	190	500	80	20	-
Surface wounds and bruises	04	17,400	-	-	110	650	3,230	4,040	4,690	3,880	480	320
Surface wounds and bruises, unspecified	040	30	-	-	-	-	-	-	-	-	-	-
Abrasions, scratches	041	880	-	-	-	-	250	280	210	100	-	-
Blisters	042	80	-	-	-	-	-	-	-	-	-	-
Bruises, contusions	043	15,780	-	-	110	590	2,890	3,620	4,230	3,670	410	260
Foreign bodies (superficial splinters, chips)	044	410	-	-	-	40	70	100	150	50	-	-
Friction burns	045	20	-	-	-	-	-	20	-	-	-	-
Multiple surface wounds and bruises	048	120	-	-	-	-	20	-	30	40	-	-
Surface wounds and bruises, n.e.c.	049	90	-	-	-	-	-	-	40	-	40	-
Burns	05	1,660	-	-	-	70	230	570	410	280	40	50
Chemical burns	051	350	-	-	-	-	30	110	110	60	20	-
Electrical burns	052	30	-	-	-	-	-	-	-	-	-	-
Heat burns, scalds	053	1,270	-	-	-	50	190	450	290	210	20	50
Intracranial injuries	06	2,280	-	-	-	30	420	270	1,250	260	20	20
Intracranial injuries, unspecified	060	80	-	-	-	-	20	20	20	20	-	-
Concussions	062	2,200	-	-	-	30	390	260	1,230	250	20	20
Effects of environmental conditions	07	650	-	-	-	30	160	170	230	60	-	-
Effects of heat and light	072	640	-	-	-	20	150	170	230	60	-	-
Effects of heat and light, unspecified	0720	30	-	-	-	-	-	20	-	-	-	-
Heat stroke	0721	60	-	-	-	-	40	-	-	-	-	-
Heat syncope	0722	20	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2010 — Continued

Nature	Nature code ²	Local government ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Heat fatigue	0723	70	—	—	—	—	—	—	50	—	—	—
Effects of heat and light, n.e.c.	0729	460	—	—	—	—	100	150	150	40	—	—
Multiple traumatic injuries and disorders	08	11,560	—	—	70	120	1,950	2,520	3,730	2,610	450	110
Multiple traumatic injuries and disorders, unspecified	080	2,010	—	—	—	—	330	180	1,140	260	90	—
Cuts, abrasions, bruises	081	1,520	—	—	—	—	300	310	360	480	60	—
Sprains and bruises	082	4,540	—	—	20	70	890	1,180	1,090	1,090	90	90
Fractures and other injuries	084	1,350	—	—	—	—	180	290	400	390	70	—
Burns and other injuries	085	20	—	—	—	—	—	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	2,110	—	—	40	—	250	560	730	390	130	—
Other traumatic injuries and disorders	09	29,400	—	—	80	1,030	4,150	8,720	8,760	4,780	1,460	430
Other traumatic injuries and disorders, unspecified	090	100	—	—	—	—	—	20	—	40	30	—
Asphyxiations/ strangulations, suffocations	091	30	—	—	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	093	260	—	—	—	—	80	140	20	—	—	—
Other poisonings and toxic effects	095	1,740	—	—	—	140	280	300	320	110	540	40
Other poisonings and toxic effects, unspecified	0950	30	—	—	—	—	—	—	20	—	—	—
Animal or insect bites and stings, venomous	0951	830	—	—	—	130	180	180	230	40	20	40
Other poisonings and toxic effects, n.e.c.	0959	880	—	—	—	—	100	110	70	60	—	—
Nonspecified injuries and disorders	097	27,160	—	—	70	890	3,760	8,210	8,400	4,600	870	380
Crushing injuries	0971	890	—	—	—	—	250	260	250	100	—	—
Back pain, hurt back	0972	5,670	—	—	—	270	1,000	1,590	1,920	710	90	80
Soreness, pain, hurt, except the back	0973	17,270	—	—	50	540	2,200	5,330	5,210	3,130	500	300
Multiple nonspecified injuries and disorders	0978	1,700	—	—	—	20	100	600	660	280	40	—
Nonspecified injuries and disorders, n.e.c.	0979	1,630	—	—	—	40	200	430	350	380	240	—
Other traumatic injuries and disorders, n.e.c.	099	90	—	—	—	—	50	—	30	—	—	—
Systemic diseases and disorders	1	7,060	—	—	—	130	810	2,350	2,620	920	150	70
Nervous system and sense organs diseases	12	1,130	—	—	—	20	110	290	420	260	30	—
Disorders of the peripheral nervous system	124	940	—	—	—	—	80	260	370	210	—	—
Carpal tunnel syndrome	1241	820	—	—	—	—	80	250	270	200	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	100	—	—	—	—	—	—	100	—	—	—
Disorders of the eye, adnexa, vision	125	160	—	—	—	—	30	30	30	40	—	—
Disorders of the eye, adnexa, vision, unspecified	1250	20	—	—	—	—	—	—	—	—	—	—
Conjunctivitis non-viral	1252	40	—	—	—	—	—	—	—	20	—	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	30	—	—	—	—	—	—	—	20	—	—
Welder's flash	1256	20	—	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	40	—	—	—	—	—	—	—	—	—	—
Circulatory system diseases	13	1,130	—	—	—	—	—	330	680	60	20	—
Hypertensive disease	132	130	—	—	—	—	—	30	100	—	—	—
Ischemic heart disease, including heart attack	133	890	—	—	—	—	—	290	550	40	—	—
Myocardial infarction (heart attack)	1331	890	—	—	—	—	—	290	540	40	—	—
Other forms of heart disease	135	40	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2010 — Continued

Nature	Nature code ²	Local government ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Cerebrovascular disease	136	20	—	—	—	—	—	—	20	—	—	—
Respiratory system diseases	14	380	—	—	—	20	20	110	160	40	—	—
Respiratory system diseases, unspecified	140	50	—	—	—	—	—	40	—	—	—	—
Other diseases of upper respiratory tract	142	60	—	—	—	—	—	—	20	30	—	—
Allergic rhinitis	1421	50	—	—	—	—	—	—	20	30	—	—
Pneumonia, influenza	143	130	—	—	—	—	—	60	50	—	—	—
Pneumonia, influenza, unspecified	1430	50	—	—	—	—	—	20	30	—	—	—
Pneumonia	1431	70	—	—	—	—	—	30	20	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	130	—	—	—	20	—	—	90	—	—	—
Extrinsic asthma	1443	90	—	—	—	—	—	—	80	—	—	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	20	—	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	1,370	—	—	—	—	100	460	500	240	40	30
Hernia	153	1,370	—	—	—	—	100	460	500	240	40	30
Hernia, unspecified	1530	480	—	—	—	—	60	90	190	100	—	—
Inguinal hernia	1531	510	—	—	—	—	—	240	180	60	—	—
Hiatal hernia	1532	30	—	—	—	—	—	20	—	—	—	—
Ventral hernia	1533	260	—	—	—	—	—	70	110	50	30	—
Hernia, n.e.c.	1539	90	—	—	—	—	—	40	—	30	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	1,530	—	—	—	50	230	510	440	230	60	—
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	20	—	—	—	—	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	171	60	—	—	—	—	—	—	—	—	—	—
Dorsopathies	172	160	—	—	—	—	20	40	30	40	20	—
Sciatica	1721	60	—	—	—	—	—	30	—	—	—	—
Disc disorders, except dislocation	1723	20	—	—	—	—	—	—	—	—	—	—
Dorsopathies, n.e.c.	1729	80	—	—	—	—	—	—	—	30	20	—
Rheumatism, except the back	173	1,290	—	—	—	50	160	470	410	160	40	—
Rheumatism, except the back, unspecified	1730	80	—	—	—	—	30	—	—	—	—	—
Bursitis	1731	150	—	—	—	—	60	30	40	20	—	—
Tendonitis	1733	670	—	—	—	50	50	290	190	90	—	—
Tenosynovitis	1734	90	—	—	—	—	—	60	20	—	—	—
Ganglion/cystic tumor	1735	40	—	—	—	—	—	—	—	30	—	—
Rheumatism, except the back, n.e.c.	1739	240	—	—	—	—	—	60	140	—	20	—
Disorders of the skin and subcutaneous tissue	18	1,130	—	—	—	30	300	480	220	80	—	20
Infections of the skin and subcutaneous tissue	181	600	—	—	—	—	90	310	150	40	—	—
Infections of the skin and subcutaneous tissue, unspecified	1810	520	—	—	—	—	80	270	110	40	—	—
Cellulitis and abscess	1812	80	—	—	—	—	—	30	30	—	—	—
Dermatitis	182	420	—	—	—	30	210	80	60	40	—	—
Dermatitis, unspecified	1820	40	—	—	—	—	—	—	20	—	—	—
Contact dermatitis, unspecified	1822	50	—	—	—	—	—	30	—	—	—	—
Allergic contact dermatitis	1823	150	—	—	—	20	40	30	30	20	—	—
Irritant contact dermatitis	1824	140	—	—	—	—	110	—	—	—	—	—
Dermatitis, n.e.c.	1829	30	—	—	—	—	30	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	100	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2010 — Continued

Nature	Nature code ²	Local government ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Urticaria, hives	1898	90	—	—	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	19	360	—	—	—	—	—	—	210	—	—	—
Endocrine, nutritional, metabolic, and immunity disorder	191	360	—	—	—	—	—	—	210	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	360	—	—	—	—	—	—	210	—	—	—
Infectious and parasitic diseases	2	240	—	—	—	—	90	40	20	30	—	—
Bacterial diseases	21	70	—	—	—	—	—	—	—	—	—	—
Viral diseases	22	50	—	—	—	—	20	20	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	20	—	—	—	—	—	—	—	—	—	—
Other arthropod-borne diseases	23	20	—	—	—	—	—	—	—	—	—	—
Lyme disease	237	20	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	100	—	—	—	—	60	—	—	30	—	—
Acariasis (including scabies, chiggers, mites)	294	100	—	—	—	—	60	—	—	30	—	—
Neoplasms, tumors, and cancer	3	20	—	—	—	—	—	—	—	—	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	31	20	—	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	2,700	—	—	40	130	310	690	940	480	—	100
Symptoms, signs, and ill-defined conditions, unspecified	40	30	—	—	—	—	—	—	—	—	—	—
Symptoms	41	2,520	—	—	40	130	300	560	910	470	—	90
General symptoms	411	970	—	—	—	30	100	290	310	210	—	—
General symptoms, unspecified	4110	20	—	—	—	—	—	—	—	—	—	—
Loss of consciousness not heat related	4111	130	—	—	—	—	—	40	20	60	—	—
Convulsions, seizures	4112	20	—	—	—	—	—	—	—	—	—	—
Malaise and fatigue	4113	20	—	—	—	—	—	—	—	—	—	—
Dizziness	4114	120	—	—	—	—	—	30	20	50	—	—
Non-specified allergic reaction	4115	80	—	—	—	—	30	—	—	—	—	—
Multiple general symptoms	4118	210	—	—	—	—	20	80	60	30	—	—
General symptoms, n.e.c.	4119	370	—	—	—	—	20	110	170	50	—	—
Symptoms involving nervous and musculoskeletal systems	412	380	—	—	—	—	—	70	190	30	—	80
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	360	—	—	—	—	—	60	180	30	—	70
Symptoms involving skin and other integumentary tissue	413	250	—	—	—	—	90	20	80	50	—	—
Edema (including dropsy)	4131	250	—	—	—	—	90	20	80	50	—	—
Symptoms involving head and neck	414	50	—	—	—	—	—	—	—	—	—	—
Headache, except migraine	4141	40	—	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	415	90	—	—	—	—	—	—	60	20	—	—
Unspecified tachycardia (rapid heart beat)	4151	30	—	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	4159	40	—	—	—	—	—	—	30	—	—	—
Symptoms involving respiratory system and chest	416	620	—	—	—	60	50	120	220	130	—	—
Symptoms involving respiratory system and chest, unspecified	4160	210	—	—	—	—	30	20	110	40	—	—
Chest pain	4164	160	—	—	—	—	—	80	50	30	—	—

See footnotes at end of table.

TABLE L45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, local government, 2010 — Continued

Nature	Nature code ²	Local government ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Symptoms involving respiratory system and chest, n.e.c.	4169	240	—	—	—	—	—	—	70	50	—	—
Symptoms involving digestive and urinary system	417	30	—	—	—	—	—	—	20	—	—	—
Nausea and vomiting	4171	30	—	—	—	—	—	—	—	—	—	—
Multiple symptoms	418	110	—	—	—	20	20	30	20	30	—	—
Abnormal findings	42	100	—	—	—	—	—	70	—	—	—	—
Abnormal findings from function studies	425	30	—	—	—	—	—	—	—	—	—	—
Other abnormal findings	429	60	—	—	—	—	—	60	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	50	—	—	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	50	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	970	—	—	—	—	80	200	480	120	50	30
Mental disorders or syndromes	52	970	—	—	—	—	80	200	480	120	50	30
Anxiety, stress, neurotic disorders	521	970	—	—	—	—	80	200	480	120	50	30
Anxiety, stress, neurotic disorders, unspecified	5210	220	—	—	—	—	20	80	30	70	—	—
Post-traumatic anxiety acute	5211	490	—	—	—	—	20	80	320	20	50	—
Neurotic reaction to stress	5214	200	—	—	—	—	30	20	110	40	—	—
Multiple anxiety, stress, neurotic disorders	5218	60	—	—	—	—	—	20	20	—	—	—
Multiple diseases, conditions, and disorders	8	60	—	—	—	—	—	20	—	20	—	—
Nonclassifiable	9999	1,570	—	—	—	—	30	—	—	30	—	1,460

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies